

IN THE CLAIMS

Please amend the claims as follows.

1. (Previously Presented) A method to facilitate a programming of a control device that comprises a graphics user interface, the method comprising:

enabling a determination of at least one appliance for being user-controlled through the control device;

determining code for graphically representing a controllable feature of the appliance on the graphic user interface of the control device; and

communicating the code to the control device for storage at the control device for enabling user-control of the appliance in response to a subsequent user activation of the control device,

wherein determining the code includes accessing an Internet site in dependence upon the determination of the at least one appliance.

2. (Canceled).

3. (Original) The method of claim 1, wherein determining the code includes extracting a device control profile from a plurality of device control profiles.

4. (Previously Presented) The method of claim 1, wherein determining the code includes extracting a device control profile in dependence upon at least one of: a location parameter, a time parameter, and a user profile.

5. (Original) The method of claim 1, further including:
communicating appliance control commands to the control device to facilitate the user-control of the appliance.

6. (Original) The method of claim 1, further including enabling an editing of the code.

7. (Original) The method of claim 1, wherein the determination of at least one appliance includes
providing a sequence of selection options that lead to the determination of the at least one appliance.

Claims 8-10 (Canceled).

11. (Currently Amended) A control device for remotely controlling one or more electronic devices, the control device comprising:

a programmable user interface, and

a receiver that receives user interface code from an Internet site, wherein the user interface code is received in dependence upon at least one of: a location parameter, a time parameter, and a user profile,

wherein a programming of the programmable user interface is facilitated by the user interface code; and

wherein the user interface code is for graphically representing a controllable feature of the one or more electronic devices on the user interface.

12. (Original) The control device of claim 11, further including an Internet access device.

Claims 13-17 (Canceled).

18. (New) The method of Claim 1, wherein the at least one appliance comprises at least one of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

19. (New) The control device of Claim 11, wherein the one or more electronic devices comprise one or more of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

20. (New) The control device of Claim 11, wherein the programmable user interface is programmed to display a plurality of icons used to control at least one of the one or more electronic devices.

21. (New) A method, comprising:
receiving an identification of at least one device; and
providing code for graphically representing a controllable feature of the at least one device on a graphic user interface of a remote control device.

22. (New) The method of Claim 21, wherein receiving the identification of the at least one device comprises:
providing a list of devices to a user; and
receiving a selection of at least one device in the list from the user.

23. (New) The method of Claim 22, further comprising:

providing an identification of multiple graphic user interfaces corresponding to one selected device; and

receiving a selection of one of the graphic user interfaces from the user, wherein providing the code comprises providing the code corresponding to the selected graphic user interface.

24. (New) The method of Claim 21, wherein providing the code comprises providing the code to an Internet access device capable of providing the code to the remote control device.

25. (New) The method of Claim 21, wherein the at least one device comprises at least one of: a television, a CD player, a DVD player, a computer, a set-top box, a telephone, and a microwave.

26. (New) A method, comprising:

providing an identification of at least one device; and

receiving code for graphically representing a controllable feature of the at least one device on a graphic user interface of a remote control device.

27. (New) The method of Claim 26, wherein providing the identification of the at least one device comprises:

receiving a list of devices from an Internet site; and
providing a selection of at least one device in the list.

28. (New) The method of Claim 27, further comprising:
receiving an identification of multiple graphic user interfaces corresponding to one selected device; and

providing a selection of one of the graphic user interfaces, wherein receiving the code comprises receiving the code corresponding to the selected graphic user interface.

29. (New) The method of Claim 21, further comprising communicating the code to the remote control device.